INDEX TO AUTHORS

BALL, ERIC G. Some properties of the yeast yellow protein, 413

BERGER, LOUIS, SLEIN, MILTON W., COLOWICK, SIDNEY P., and CORI, CARL F. Isolation of hexokinase from baker's yeast, 379

—, —, —, and —. Isolation of pure hexokinase from yeast, 141

BERGMANN, MAX. See NAGY, GOLUMBIC, STEIN, FRUTON, and BERGMANN, 441

BERNFELD, P. See MEYER and BERNFELD, 353

BERNHARD, C. G., and GRANIT, RAGNAR. Nerve as a model temperature end organ, 257

BLISS, ALFRED FREDERICK. The chemistry of daylight vision, 277

—. Photolytic lipids from visual pigments, 299

CHENEY, RALPH HOLT. The effects of caffeine on oxygen consumption and cell division in the fertilized egg of the sea urchin, *Arbacia punctulata*, 63

COLLIER, H. BRUCE. The acceleration of saponin hemolysis by proflavine, 57

COLOWICK, SIDNEY P. See BERGER, SLEIN, COLOWICK, and CORI, 141, 379

CONWAY, E. J., FITZGERALD, O., and MACDOUGALD, T. C. Potassium accumulation in the proximal convoluted tubules of the frog's kidney, 305

CORI, CARL F. See BERGER, SLEIN, COLOWICK, and CORI, 141, 379

CROSSMAN, ELIZABETH B. See GIESE and CROSSMAN, 79, 193

DAVIS, HELEN. See MYERS, 419

ERVIN, FRANK. See MYERS, 429

FITZGERALD, O. See CONWAY, FITZGERALD, and MACDOUGALD, 305

FRANK, SYLVIA R. The effectiveness of the spectrum in chlorophyll formation, 157

—. See HECHT, HENDLEY, FRANK, and HAIG, 335

FRUTON, JOSEPH S. See NAGY, GOLUMBIC, STEIN, FRUTON, and BERGMANN, 441

GIESE, ARTHUR C., and CROSSMAN, ELIZABETH B. The action spectrum of sensitization to heat with ultraviolet light, 79

— and —. Sensitization of cells to heat by visible light in presence of photodynamic dyes, 193

GOLUMBIC, CALVIN. See NAGY, GOLUMBIC, STEIN, FRUTON, and BERGMANN, 441

GRANIT, RAGNAR. See BERNHARD and GRANIT, 257

GROB, DAVID. Proteolytic enzymes. I. The control of their activity, 219

—. II. The physiological significance of the control of their activity, especially with respect to bacterial growth, 249

HAIG, CHARLES. See HECHT, HENDLEY, FRANK, and HAIG, 335

HECHT, SELIG, HENDLEY, CHARLES D., FRANK, SYLVIA R., and HAIG, CHARLES. Anoxia and brightness discrimination, 335

HENDLEY, CHARLES D. See HECHT, HENDLEY, FRANK, and HAIG, 335

JOHNSTON, JAMES. See MYERS, 419

KUNITZ, M. Crystalline soy bean trypsin inhibitor, 149
— and McDONALD, MARGARET R. Crystalline hexokinase (heterophosphatese). Method of isolation and properties, 393
— and —. Isolation of crystalline hexokinase and other proteins from yeast, 143
—. See McDONALD and KUNITZ, 155

MACDOUGALD, T. C. See CONWAY, FITZGERALD, and MACDOUGALD, 305
McCARTY, MACLYN. Purification and properties of desoxyribonuclease isolated from beef pancreas, 123
McDONALD, MARGARET R., and KUNITZ, M. An improved method for the crystallization of trypsin, 155
—. See KUNITZ and McDONALD, 143, 393
MEYER, KURT H., and BERNFELD, P. The potentiometric analysis of membrane structure and its application to living animal membranes, 353
MOMMAERTS, W. F. H. M. On the nature of forces operating in blood clotting. I. The participation of electrostatic attraction, 103
—. II. The clotting of fibrinogen as a two-step reaction, 113
MURRAY, MARY LOU. See MYERS, 429
MYERS, JACK. Culture conditions and the development of the photosynthetic mechanism. III. Influence of light intensity on cellular characteristics of *Chlorella*, 419
—. IV. Influence of light intensity on photosynthetic characteristics of *Chlorella*, 429

NAGY, STEPHEN M., GOLUMBIC, CALVIN, STEIN, WILLIAM H., FRUTON, JOSEPH S., and BERGMANN, MAX. The penetration of vesicant vapors into human skin, 441

OSTERHOUT, W. J. V. Effects of hydroxyl on negative and positive cells of *Nitella*, 43
—. Some properties of protoplasmic gels. I. Tension in the chloroplast of *Spirogyra*, 181
—. Water relations in the cell. I. The chloroplasts of *Nitella* and of *Spirogyra*, 73

PONDER, ERIC. The mechanism of the inhibition of hemolysis. IV. The types of reaction involved, 1
—. V. Inhibitory processes occurring in the course of simple hemolytic reactions, 203
—. The paracrystalline state of the rat red cell, 89

SHAPIRO, HERBERT. The extracellular release of echinochrome, 267
SLEIN, MILTON W. See BERGER, SLEIN, COLOWICK, and CORI, 141, 379
STEIN, WILLIAM H. See NAGY, GOLUMBIC, STEIN, FRUTON, and BERGMANN, 441

WHITE, THEODORE. The toxicity of copper nitrate solutions to *Polycelis nigra*. II. The duplex toxic mechanism and the synergic effect of added solutes, 31

INDEX TO SUBJECTS

ANIMAL membranes, living, structure, application of potentiometric analysis to, 353
Anoxia and brightness discrimination, 335
Arbacia punctulata, fertilized egg, effects of caffeine on oxygen consumption and cell division, 63

BACTERIAL growth, physiological significance of control of activity of proteolytic enzymes, especially with respect to, 249
Bean, soy, crystalline trypsin inhibitor, 149
Beef pancreas, desoxyribonuclease isolated from, purification and properties of, 123
Blood, clotting of fibrinogen as two-step reaction, 113
— clotting, participation of electrostatic attraction, 103
— corpuscle, red. *See* Erythrocyte.
Brightness discrimination and anoxia, 335

CAFFEINE, effects on oxygen consumption and cell division in fertilized egg of sea urchin, *Arbacia punctulata*, 63
Cell, blood, red. *See* Erythrocyte.
— division and oxygen consumption in fertilized egg of sea urchin, *Arbacia punctulata*, effects of caffeine, 63
—, release of echinochrome from, 267
—, water relations in, chloroplasts of *Nitella* and of *Spirogyra*, 73
Cells, *Nitella*, negative and positive, effects of hydroxyl, 43
—, sensitization to heat by visible light in presence of photodynamic dyes, 193
Cellular characteristics of *Chlorella*, influence of light intensity, 419
Chemistry of daylight vision, 277
Chlorella, cellular characteristics, influence of light intensity, 419
—, photosynthetic characteristics, influence of light intensity, 429
Chlorophyll formation, effectiveness of spectrum in, 157
Chloroplast of *Spirogyra*, tension, 181
Chloroplasts of *Nitella* and of *Spirogyra*, water relations in cell, 73
Clotting, blood, participation of electrostatic attraction, 103
— of fibrinogen as two-step reaction, 113
Copper nitrate solutions, toxicity to *Polycelis nigra*, duplex toxic mechanism and synergic effect of added solutes, 31
Corpuscle, blood, red. *See* Erythrocyte.
Crystallization of trypsin, 155
Cultivation conditions and development of photosynthetic mechanism, influence of light intensity on cellular characteristics of *Chlorella*, 419
— conditions and development of photosynthetic mechanism, influence of light intensity on photosynthetic characteristics of *Chlorella*, 429

DAYLIGHT vision, chemistry, 277
Desoxyribonuclease isolated from beef pancreas, purification and properties, 123
Dyes, photodynamic, sensitization of cells to heat by visible light in presence of, 193

ECHINOCHROME, extracellular release, 267
Egg, fertilized, of sea urchin, *Arbacia punctulata*, effects of caffeine on oxygen consumption and cell division, 63
Electrostatic attraction, participation in blood clotting, 103
Enzymes, proteolytic, control of activity, 219
—, proteolytic, physiological significance of control of activity, especially with respect to bacterial growth, 249
Erythrocyte, rat, paracrystalline state, 89

FERTILIZED egg of sea urchin *Arbacia punctulata*, effects of caffeine on oxygen consumption and cell division, 63
Fibrinogen, clotting as two-step reaction, 113

GELS, protoplasmic, tension in *Spirogyra* chloroplast, 181

HEAT, sensitization of cells by visible light in presence of photodynamic dyes, 193
—, sensitization with ultraviolet light, action spectrum, 79
Hemolysis, inhibition, mechanism, inhibitory processes occurring in course of simple hemolytic reactions, 203
—, inhibition, mechanism, types of reaction involved, 1
—, saponin, acceleration by proflavine, 57
Heterophosphatese, crystalline, method of isolation and properties, 393
Hexokinase, crystalline, heterophosphatese, method of isolation and properties, 393
—, isolation from baker's yeast, 379
— and proteins, crystalline, isolation from yeast, 143
—, pure, isolation from yeast, 141
Hydroxyl, effects on negative and positive cells of *Nitella*, 43

KIDNEY, frog, proximal convoluted tubules, potassium accumulation in, 305

LIGHT intensity, influence on cellular characteristics of *Chlorella*, 419
— intensity, influence on photosynthetic characteristics of *Chlorella*, 429
—, ultraviolet, action spectrum of sensitization to heat with, 79
—, visible, sensitization of cells to heat by in presence of photodynamic dyes, 193
Lipids, photolytic, from visual pigments, 299

MAN, skin, penetration of vesicant vapors, 441
Membrane structure, potentiometric analysis, application to living animal membranes, 353

NERVE as model temperature end organ, 257
Nitella, negative and positive cells, effects of hydroxyl, 43
— and *Spirogyra* chloroplasts, water relations in cell, 73
Nuclease, desoxyribo-, isolated from beef pancreas, purification and properties, 123

ORGAN, end, temperature, nerve as model, 257
Oxygen consumption and cell division in fertilized egg of sea urchin, *Arbacia punctulata*, effects of caffeine, 63

PANCREAS, beef, desoxyribonuclease isolated from, purification and properties, 123
Photodynamic dyes, sensitization of cells to heat by visible light in presence of, 193
Photolytic lipids from visual pigments, 299

Photosynthetic mechanism, development, and culture conditions, influence of light intensity on cellular characteristics of *Chlorella*, 419
— mechanism, development, and culture conditions, influence of light intensity on photosynthetic characteristics of *Chlorella*, 429
Physiological significance of control of activity of proteolytic enzymes, especially with respect to bacterial growth, 249
Pigments, visual, photolytic lipids from, 299
Polycelis nigra, toxicity of copper nitrate solutions to, duplex toxic mechanism and synergic effect of added solutes, 31
Potassium accumulation in proximal convoluted tubules of frog's kidney, 305
Potentiometric analysis of membrane structure, application to living animal membranes, 353
Proflavine, acceleration of saponin hemolysis by, 57
Protein, yellow, yeast, properties, 413
Proteins and hexokinase, crystalline, isolation from yeast, 143
Proteolytic enzymes, control of activity, 219
— enzymes, physiological significance of control of activity, especially with respect to bacterial growth, 249
Protoplasmic gels, tension in *Spirogyra* chloroplast, 181

RIBONUCLEASE, desoxy-, isolated from beef pancreas, purification and properties, 123

SAPONIN hemolysis, acceleration by proflavine, 57
Sea urchin, *Arbacia punctulata*, fertilized egg, effects of caffeine on oxygen consumption and cell division, 63
Sensitization of cells to heat by visible light in presence of photodynamic dyes, 193
— to heat with ultraviolet light, action spectrum, 79
Skin, human, penetration of vesicant vapors, 441
Solutions, copper nitrate, toxicity to *Polycelis nigra*, duplex toxic mechanism and synergic effect of added solutes, 31
Soy bean trypsin inhibitor, crystalline, 149
Spectrum, action, of sensitization to heat with ultraviolet light, 79
—, effectiveness in chlorophyll formation, 157
Spirogyra chloroplast, tension, 181
— and *Nitella* chloroplasts, water relations in cell, 73
Synergic toxic effect on *Polycelis nigra* of solutes added to copper nitrate solutions, 31

TEMPERATURE end organ, nerve as model, 257
Tension, *Spirogyra* chloroplast, 181
Toxicity of copper nitrate solutions to *Polycelis nigra*, duplex toxic mechanism and synergic effect of added solutes, 31
Trypsin, crystallization, 155
— inhibitor, crystalline, from soy bean, 149
Tubules, frog's kidney, proximal convoluted, potassium accumulation in, 305

ULTRAVIOLET light, action spectrum of sensitization to heat with, 79

VAPORS, vesicant, penetration into human skin, 441
Vesicant vapors, penetration into human skin, 441
Vision, daylight, chemistry, 277
—, pigments, photolytic lipids from, 299

WATER relations in cell, chloroplasts of *Nitella* and of *Spirogyra*, 73

YEAST, baker's, isolation of hexokinase from, 379

Yeast, isolation of crystalline hexokinase and proteins from, 143

—, isolation of pure hexokinase from, 141

— yellow protein, properties, 413

o-
43
n,
41

13